CLAIMS

1-16. (cancelled)

17. (currently amended) A process for creating a clearing feeling in a pharyngeal cavity and or a nasal cavity, which process comprisinges the step of:

administering to a subject in need thereof an effective amount of a preparation comprising a rhinologically active substance with a formula:

$$R^{\frac{1}{2}}O = \begin{bmatrix} R^2 \\ C \\ X \end{bmatrix} \times R^3$$

wherein

x is 0 or 1,

R¹ denotes an alkyl group having 1 to 4 carbon atoms,

R² denotes a methyl or ethyl group, and

R³ denotes a monocyclic <u>saturated</u> carbon system having 5,6, 7 or 8 carbon atoms that can be unsubstituted or substituted with further alkyl groups having 1 to 4 carbon atoms or alkenyl groups having 2 to 4 carbon atoms, whereby said clearing feeling in said pharyngeal cavity or <u>said and</u> nasal cavity is created.

- 18. (currently amended) [[A]] The process according to Claim 17, wherein
 - R1 denotes a methyl or ethyl group and

R³ denotes a monocyclic <u>saturated</u> carbon system having 6 or 7 carbon atoms that can be unsubstituted or substituted with further alkyl groups having 1 to 3 carbon atoms and/or alkenyl groups having 3 carbon atoms.

19. (currently amended) [[A]] The process according to Claim 17, wherein said rhinologically active substances are selected from the group consisting of 1-menthyl methyl ether, d-menthyl methyl ether, dl-menthyl methyl ether, menthyl ether, menthyl ether, menthyl isobutyl ether, isopulegyl methyl ether, 2-isopropylcyclohexyl methyl ether, 2-isopropylcyclohexyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl ether, 3,3,5-trimethylcyclohexyl methyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl ether, 3,3,5-trimethylcyclohexyl methyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl ether, 3,3,5-trimethylcyclohexyl methyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl ethyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl ethyl ethyl ethyl ether, 1-(3,3-dimethyl-2-isopropylcyclohexyl ethyl eth

cyclohexyl)ethyl ethyl ether, 1-(3,3-dimethyl-cyclohexyl)ethyl propyl ether, and 1-(3,3-dimethylcyclohexyl)ethyl methyl ether.

- 20. (currently amended) [[A]] <u>The process according to Claim 17, wherein said preparation rhinologically active substance</u> comprises 0.0001 to 10% by weight of said <u>rhinologically active substance</u> preparation.
- 21. (currently amended) [[A]] <u>The</u> process according to Claim 17, wherein said clearing feeling comprises a cooling, refreshing feeling.
- 22. (currently amended) [[A]] <u>The process according to Claim 17</u>, wherein said preparation is selected from the group consisting of: an oral care composition, chewing gum, a food product, a <u>smokeless</u> tobacco product, a pharmaceutical product and a nasal spray.
- 23. (currently amended) [[A]] <u>The process according to Claim 22</u>, wherein said oral care composition is selected from the group consisting of: toothpaste and mouthwash.
- 24. (currently amended) A process for creating a clearing feeling in a pharyngeal cavity or a nasal cavity which comprises the step of administering to a subject in need thereof an effective amount of a preparation comprising a rhinologically active substance comprised of acyclic ethers that are selected from the group consisting of isopulegyl methyl ether, 1-(3,3-dimethylcyclohexyl)ethyl ethyl ether, 1-(3,3-dimethylcyclohexyl)ethyl ethyl ether, 1-(3,3-dimethylcyclohexyl)ethyl methyl ether ethyl, whereby said clearing feeling in said pharyngeal cavity or said and nasal cavity is created.
- 25. (new) The process according to Claim 17, wherein x is 1.
- 26. (new) The process according to Claim 17, wherein said rhinologically active substances are selected from the group consisting of l-menthyl methyl ether, d-menthyl methyl ether, dl-menthyl methyl ether, and menthyl ethyl ether.

- 27. (new) The process according to Claim 17, wherein said rhinologically active substances is l-menthyl methyl ether.
- 28. (new) A process for creating a clearing feeling in a pharyngeal cavity and nasal cavity comprising the step of:

administering to a subject in need thereof an effective amount of a preparation to be ingested as a solid or a liquid comprising a rhinologically active substance with a formula:

$$R^{\frac{1}{2}} - O \xrightarrow{\begin{cases} R^2 \\ C \end{cases} \times R^2 \end{cases}$$

wherein

x is 0 or 1,

R¹ denotes an alkyl group having 1 to 4 carbon atoms,

R² denotes a methyl or ethyl group, and

R³ denotes a monocyclic saturated carbon system having 5,6, 7 or 8 carbon atoms that can be unsubstituted or substituted with further alkyl groups having 1 to 4 carbon atoms or alkenyl groups having 2 to 4 carbon atoms, whereby said clearing feeling in said pharyngeal cavity and nasal cavity is created.

{WP302680_{1}} 5